STATE OF MAINE

APPLICATION FOR A RADIOACTIVE MATERIAL LICENSE FOR MEDICAL USE

INSTRUCTIONS: This application complies with the license requirements of Section C of the State of Maine Rules Relating to Radiation Protection (SMRRRP). Complete items 1 through 12. Supplemental sheets may be needed for items 5 through 11. Mail the completed application to: Radiation Control Program, 11 State House Station, Augusta, Maine, 04333. Telephone: (207) 287-5676.

The Department of Health and Human Services does not discriminate on the basis of disability, race, color, creed, gender, age or national origin in admission to, access to, or operations of its programs, services or activities, or its hiring or employment practices. This information is available in alternate formats upon request.

NEW LICENSE	•		LICENSE NUMBER (leave blank)
RENEWAL of license number >			
AMENDMENT of license numbe	r >		
2. NAME AND MAILING ADDRESS (OF APPLICANT		(ES) WHERE MATERIAL WILL AND/OR STORED.
PHONE:		PHONE:	
NAME OF PERSON TO BE CONTA	ACTED ABOUT THIS AP	PLICATION	

For items 5 through 11, the requested information may be submitted on standard size paper. Answer all items. For any that do not apply, answer by giving the item number with "not applicable" after it.

- 5. RADIOACTIVE MATERIAL and
- 6. PURPOSE AND USE

A: Radioactive Material for medical use: Please place an "X" next to all the disciplines you wish to be licensed for.

Yes	Radioisotope	Form or Manufacturer /Model No.	Maximum Quantity	Purpose of Use
	Any radioactive material permitted by G.100	Any	As needed	Any uptake, dilution, and excretion study permitted by G.100.
	Any radioactive material permitted by G.200	Any	As needed	Any imaging and localization study permitted by G.200.
	Any radioactive material permitted by G.300	Any	millicurie	Any radiopharmaceutical therapy procedure permitted by G.300.
	lodine-131	Any	millicurie	Administration of I-131 sodium iodide.
	Radioactive material permitted by G.400 (Radionuclide	Sealed sources (Manufacturer Model No)	millicurie	Any brachytherapy procedure permitted by G.400.

Yes	Radioisotope	Form or Manufacturer /Model No.	Maximum Quantity	Purpose of Use
	Radioactive material permitted by G.400 (Radionuclide	Sealed sources (Manufacturer	millicurie	Any brachytherapy procedure permitted by G.400.
	Radioactive material permitted by G.400 (Radionuclide	Model No) Sealed sources (Manufacturer	millicurie	Any brachytherapy procedure permitted by G.400.
	Radioactive material permitted by G.400 (Radionuclide	Sealed sources (Manufacturer Model No)	millicurie	Any brachytherapy procedure permitted by G.400.
	Strontium-90	Sealed sources (Manufacturer Model No)	millicurie	Treatment of superficial eye conditions using an applicator distributed pursuant to C.11.K. and permitted by G.400.
	Radioactive material permitted by G.500 Check all that apply: Gd-153 I-125 Other, describe	Sealed sources (Manufacturer Model No)	As needed	Diagnostic medical use of sealed sources permitted by G.500 in compatible devices registered pursuant to C.7.
	Iridium-192	Sealed sources (Manufacturer Model No)	curies per source and curies total	One source for medical use permitted by G.600, in a Manufacturer Model No remote afterloading brachytherapy device. One source in its shipping container as necessary for replacement of the source in the remote afterloader device.
	Cobalt-60	Sealed sources (Manufacturer Model No)	curies per source and curies total	One source for medical use permitted by G.600, in a Manufacturer Model No teletheray unit. One source in its shipping container as necessary for replacement of the source in the teletherapy device.
	Cobalt 60	Sealed sources (Manufacturer	curies per source and curies total	For medical use permitted by G.600, in a Manufacturer Model No
	Any radioactive material under C.6.F.	Prepackaged kits	millicurie	In-vitro studies.
	Depleted uranium	Metal	kilograms	Shielding in a teletherapy unit.

Yes	Radioisotope	Form or Manufacturer /Model No.	Maximum Quantity	Purpose of Use
	Depleted uranium	Metal	kilograms	Shielding in a linear accelerator.
	Any radionuclide in excess of 30 millicuries for use in calibration, tranmsmission, and reference sources. (List radionuclide:	Sealed source or device (Manufacturer Model No)	millicurie	For use in a Manufacturer Model No for calibration and checking of licensee's survey instruments.
	Americium-241	Sealed source or device (Manufacturer Model No)	millicurie per source and millicurie total	Use as an anatomical marker.
	Plutonium (principal radionuclide PU-238)	Sealed Sources	millicuries per source and grams total	As a component of Manufacturer Model No nuclear-powered cardiac pacemakers for clical evaluation in accordance with manufacturer's protocol dated The authorization includes: follow- up, explantation, recovery, disposal, and implantation.
	Other (please specify)	Form or Manufacturer/Model No.	millicurie	Purpose of use

If Financial Assurance is required then Evidence of Financial Assurance must be provided

7. INDIVIDUALS RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE

IIIDIV	IDUALO REGI GROIBLE I OR RADIATIO	N SAI LIIII	INOONAIII I	AND THEIR TRAINING AND EXT	LIVILIAOL
7.1 R	ADIATION SAFETY OFFICER (RSO):				
Name:	Telephoi	ne:	Fax:	e-mail:	
1					
	rious license number (if issued by the Ager authorized the uses requested and on whice				greement State)
OR	Copy of the certification(s) for the board(s) he or she has RSO responsibilities	recognized b	by the Ager	ncy and is applicable to the types of	of use for which
OR	Training and Experience and Preceptor St	atement (Fori	m HHE-853	3) is provided.	
Pro۱	ride a description of recent related continuit	ng education	and experience	ence as required by G.22, if application	able.
We	have established, in writing, the authority, o	duties, and re	sponsibilitie	es of the RSO.	
	will ensure that the RSO is authorized to	stop unsafe c	peration; a	and has sufficient time to perform	radiation safety
dutie	es and responsibilities.				

7.2	2 AUTHORIZED USERS (AUs) NAMES AND REQUESTED USES FOR EACH INDIVIDUAL: List the names of all
	proposed Authorized Users and the uses requested. Provide a previous license number (if issued by the Agency) or a
	copy of the license (if issued by the NRC or an Agreement State) that authorizes the uses requested or complete a
	Training and Experience and Preceptor Statement Form (HHE853) for each individual and provide a copy of the
	certification(s) for the board(s) recognized by the Agency under Part G; Subparts D, E, F, G, H, and as applicable to
	the use requested. Provide a description of recent related continuing education and experience as required by G.22,
	if applicable.

73	AUTHORIZED NUCLEAR PHAR	MACIST	(ANP)
<i>i</i> .5	AUTHORIZED NUCLEAR FIRM		(AIIF).

Name:	Telephone:	Fax:	e-mail:	
	ber (if issued by the Agency) or a cal was specifically named ANP;	copy of the licens	e (if issued by the NRC or an Agreemen	t State
OR Copy of the certif	ication(s) for the radiopharmacy bo	oard(s) recognize	d by the Agency under G. 20 or G. 980;	
OR Training and Exp	erience and Preceptor Statement ((Form HHE-853).		
Provide a description	of recent related continuing educa	tion and experien	ce as required by G.22, if applicable.	
7.4 AUTHORIZED ME	DICAL PHYSICIST (AMP):			
Name:	Telephone:	Fax:	e-mail:	
on which the individua	al was specifically named as an AM	1P for the units re	•	t State
''	ication(s) for the board(s) recogniz perience and Preceptor Statement			
OK Training and Exp	benefice and Fredeplor Statement	(FUIII FIFIE-055)	is provided.	
Provide a description	of recent related continuing educa-	tion and experien	ce as required by G.22, if applicable.	
SAFETY INSTRUCTION	N FOR INDIVIDUALS WORKING	IN OR FREQUEN	ITING RESTRICTED AREAS.	
	quate safety instruction for individes G and J. (Appendix J to NUREG		th or in the vicinity of licensed materia quivalent)	al in
FACILITIES AND EQUIP 9.1 Facility Diagram:		, diagrams (Dray	vings will be to scale and indicate scale)	
			re radioactive material is prepared, use	
	and below therapy treatment room		, office, file, toilet, closet, hallway), incluer the room is a restricted or an unrestricted	
	e rooms where patients will be ho		nnot be released under G.30. (This sh	ould
			, and density of any necessary shieldin ription of any portable shields used.	ig to
	-		ase of an isocentric unit, the plane of bo	eam

(7/04)

9.2 Radiation Monitoring Instruments	
	librated by a person qualified to perform survey meter calibrations
AND/OR	
We have developed and will implement an with the requirements of D.17 and that m equivalent)	nd maintain the written survey meter calibration procedures in accordance neet the requirements of G.24. (Appendix K to NUREG 1556, Vol. 9 or
AND	
rate meter, portable or stationary dose	on (e.g. gamma counter, solid state detector, portable or stationary count rate or exposure rate meter, single or multi-channel analyzer, liquid hat will be used to perform required surveys.
AND	
We reserve the right to upgrade our surve type and level of radiation for which they are	y instruments as necessary as long as they are adequate to measure the e used.
9.3 Dose Calibrator And Other Dosage Me	
Equipment used to measure dosages will manufacturer's instructions.	be calibrated in accordance with nationally recognized standards or the
9.4 Therapy Unit – Calibration And Use	
Provide the procedures required by G.609,	G.610, and G.611, if applicable to the license application.
9.5 Other Equipment And Facilities Provide a description of additional facilities	and equipment.
For manual brachytherapy facilities	
Provide a description of emergency respon	se equipment.
For teletherapy, GSR, and remote afterload	der facilities, provide a description of the following:
Warning systems and restricted area control	
Area radiation monitoring equipment;	
Viewing and intercom systems (except LDF	Runits);
Steps that will be taken to ensure that no equipment are in the treatment room;	o two units can be operated simultaneously, if other radiation-producing
Methods to ensure that whenever the devi unauthorized persons; and	ce is not in use or is unattended, the console keys will be inaccessible to
Emergency response equipment.	
0.RADIATION PROTECTION PROGRAM: 10.1 Safety Procedures And Instructions	
Provide the procedures required by G.604.	
10.2 Occupational Dose	
	lemonstrating that unmonitored individuals are not likely to receive, in one the allowable limits in Part D.
- '	he requirements listed under "Criteria" in article 8.22 of NUREG 1556,

10.3 Area Surveys

We have developed and will implement and maintain written procedures for area surveys in accordance with D.5. that meet the requirements of D.17 and G.29. (Appendix R to NUREG 1556, Vol. 9. or equivalent)

Provide a description of an alternative method for demonstrating compliance with the regulations.

10.4 Safe Use Of Unsealed Licensed Material

We have developed and will implement and maintain procedures for safe use of unsealed radioactive material that meets the requirements of D.5. and D.14. (Appendix T to NUREG 1556, Vol. 9. or equivalent)

10.5 Spill Procedures

We have developed and will implement and maintain written procedures for safe response to spills of licensed material in accordance with D.5. (Appendix N to NUREG 1556, Vol. 9. or equivalent)

10.6 Installation, Maintenance, Adjustment, Repair, And Inspection Of Therapy Devices Containing Sealed Sources

We will contract with personnel who are licensed by the Agency, U.S. Nuclear Regulatory Commission or an Agreement State to install, maintain, adjust, repair, and inspect the specific therapy device possessed by the licensee.

OR

Name of proposed employee and types of activities requested:

Provide a description of the training and experience demonstrating that the proposed employee is qualified by training and experience for the use requested, and

Provide a copy of the manufacturer's training certification and an outline of the training in procedures to be followed.

10.7 Public Dose

We will ensure that licensed material will be used, transported, and stored in such a way that members of the public will not receive more than 1 mSv (100 mrem) in 1 year, and the dose in any unrestricted area will nor exceed 0.02 mSv (2mrem) in any one hour from licensed operations.

We will ensure air emissions of radioactive materials to the environment will not result in exposures to individual members of the public in excess of 0.1mSv (10 mrem) (TEDE) in one year from these emissions.

We will control and maintain constant surveillance of licensed material that is not in storage and secure stored licensed material from unauthorized access, removal, or use.

10.8 Opening Packages

We have established and will maintain and retain written procedures for safely opening packages to ensure that the monitoring requirements of D.32. are met and that radiation exposure to personnel coming near or in contact with the packages containing radioactive material are ALARA. (Appendix P to NUREG 1556, Vol. 9 or equivalent)

10.9 Procedures For Administrations When A Written Directive Is Required

We have developed and will implement and maintain written procedures to provide high confidence that licensed material is administered as directed by authorized users in accordance with G.16. (Appendix S to NUREG 1556, Vol. 9 or equivalent)

10.10 Release Of Patients Or Human Research Subjects

We will provide radiation written safety instructions to patients or human research subjects (or their parent, guardian or caregiver) released in accordance with G.30. (Appendix U to NUREG 1556, Vol. 9 or equivalent)

10.11 Mobile Nuclear Medicine Services

We will comply with the requirements of G.31 and G.612, as applicable, as well as all other applicable regulations. (Appendix V to NUREG 1556, Vol. 9. or equivalent)

10.12 Audit Program

We will annually review the content and implementation of the radiation protection program to ensure compliance with Agency and applicable DOT regulations; the terms and conditions of the license; occupational doses; and doses to members of the general public are ALARA. (Appendix L to NUREG 1556, Vol. 9 or equivalent)

10.13 Operating And Emergency Procedures

We have developed and will implement, and maintain specific operating and emergency procedures. (Appendix N to NUREG 1556, Vol. 9. or equivalent)

10.14 Material Receipt And Accountability

We will secure licensed material.

We will maintain records of receipt, transfer, and disposal of licensed material.

We will conduct physical inventories at required frequencies to account for licensed material.

10.15 Ordering And Receiving

We will ensure that the type and quantity of licensed material possessed is in accordance with the license. Additionally, we will ensure that packages are secured and radiation exposure from packages is minimized. (Appendix O to NUREG 1556, Vol. 9. or equivalent)

10.16 Sealed Source Inventory

We will conduct a semi-annual physical inventory of all sealed sources and brachytherapy sources (individual GSR sources are exempt) in our possession.

We will maintain records of GSR source receipt, transfer, and disposal to indicate the current inventory of sources at our facility.

10.17 Records Of Dosages And Use Of Brachytherapy Source

We will make and maintain the records of each dosage and administration prior to medical use.

We will make and maintain the appropriate records for molybdenum concentrations.

We will make and maintain the appropriate records for the manual use of brachytherapy sources.

10.18 Recordkeeping

We will maintain records as provided in Subpart L to Part D, and Subpart L to Part G. (Appendix X to NUREG 1556, Vol. 9.)

10.19 Reporting

We will report to the Agency incidents that might compromise the health and safety of patients, health care providers, or the public as required in Subpart M to Part D. and Subpart M to Part G. (Appendix Y to NUREG 1556, Vol. 9.)

We will report to the Agency by telephone immediately and followed by a written report within 30 days any event tin which the security of radioactive material is compromised.

10.20 Leak Tests

We will perform leak testing of sealed sources, e.g., calibration, transmission, and reference sources, or brachytherapy sources in accordance with G.27. (Appendix Q to NUREG 1556, Vol. 9 or equivalent)

10.21 Safety Procedures For Treatments When Patients Are Hospitalized

We have developed and will implement procedures to ensure that access to therapy treatment rooms, and exposure rates from therapy treatments, are limited to maintain doses to occupational workers and members of the general public within regulatory limits. (G.30, G.302, G.404, G.604)

10.22 Transportation

We have developed and will implement and maintain a safety program for the transport of radioactive materials to ensure compliance with State and Federal regulations. (Appendix Z to NUREG 1556, Vol. 9)

1.	VV A	ASTE MANAGEMENT: Waste Disposal
		We have developed and will implement and maintain written disposal procedures for licensed material in accordance
		with Part D.5, that also meet the requirements of the applicable section of Subpart K to Part D. and G.32. (Appendix

W to NUREG 1556, Vol. 9. or equivalent)

12. CERTIFICATION: The applicant and any official executing this certificate on behalf of the applicant named in item 2, certify that this application is prepared in conformity with the State of Maine Rules Relating to Radiation Protection and that all information contained herein, including any supplements attached hereto, is true and correct to the best of our knowledge and belief.

DATE:	SIGNATURE OF APPLICANT:
TITLE:	TYPED/PRINTED NAME: